


Description:

RX-ARZ2L Double-row LED plant lights, dedicated to tissue culture, seedlings and cuttings, clonal propagation, seedling breeding, suitable for various vertical agricultural applications, especially suitable for medicinal plant group cultivation seedlings



Epoxy Potting



Anodized AL 20 Bolt Slot



AC Input

1. Each fixture covers 1.3ft*4ft(0.4m*1.2m), Economical nursery lights, easy to install and cost-saving
2. PPFD 100~150μmol/m²/s, Hanging height 6"-10" , Apply to tissue cultures, seedlings and cutting (cloning propagation) and starter pots
3. Easy to install, saving installation cost, Compared to T5 and T8 is easier to install!
4. Samsung LED, High efficiency up to 2.5μmol/J
5. Lifespan 35000 hours, Warranty: 2 years
6. The maximum connections 10pcs (120VAC), 20pcs (230VAC)
7. Input voltage: AC100 ~ 240V, power 36W
8. CE RoHS FCC

Model	Fixture Dimension LxWxH	Spectral Wavelength	Photon PPFD μmol/m ² /s	PPF	Power Test Input AC230V	Comment
RX-ARZ2L	1215x268x25mm 47.8" *10.6" *1"	<p>F101</p>	150μmol @0.15m	90umol/s	36W	Maximum connection 10pcs Mounting Heigh ≥8" 0.2m Tissue cultures, seedlings cutting
			100μmol @0.25m			
RX-ARZ2L	1215x268x25mm 47.8" *10.6" *1"	<p>F120</p>	150μmol @0.15m	90umol/s	36W	More blue, more conducive to rhizome growth CCT 9000K
			100μmol @0.25m			


Working temperature: - 30°C ~ 40°C , Lifespan: 35000 hours (Note: Ta 25 °C)

Tolerance range for optical and electrical data: ±10 %

Recommended Mounting Height 6-10 inches above canopy

The above data is for reference only!

Dimension:



Each fixture covers 1.3ft*4ft(0.4m*1.2m), Economical nursery lights, easy to install and cost-saving
PPFD 100~150 $\mu\text{mol}/\text{m}^2/\text{s}$, Hanging height 6"-10", Apply to tissue cultures, seedlings and cutting (cloning propagation) and starter pots



Tissue culture



Clone (cutting)



Seedlings


Easy to install, saving installation cost




TYPE A 3-core cable input, one end



TYPE B AC 3-core, input and output




TYPE-P AC Plug



TYPE-T T type connecting plug wire

Electrical installation diagram of 3-layer seedling rack



TYPE-P 1pcs TYPE-T 2pcs

Optional accessories



Three-core Waterproof plug-in cable



Y TYPE Wire Rope



EU20 T-bolt & Lifting ring